



STATE OF CONNECTICUT

DEPARTMENT OF PUBLIC HEALTH RADON PROGRAM SCHOOL RADON RE-EVALUATION REPORT FORM

May 2016

The following form must be submitted to the Connecticut Department of Public Health Radon Program within ten (10) business days of providing a final written report of radon measurement activities to school personnel. **Do not send test results or other documents.** Submit only one signed form by **mail, fax OR email** to the Radon Program at:

CT Department of Public Health Radon Program
410 Capitol Avenue, MS #51 RAD
Hartford, CT 06134-0308
Fax: 860-509-7295
or
Email: DPH.RadonReports@ct.gov

Name of School: New Canaan High School

Address: _____
(Street, town, zip code)

Measurement Company: Hygenix, Inc

Please provide the following summary information:

Testing Dates: Feb 7-10, 2017
(deployment/retrieval. Include confirmatory testing dates if necessary)

Total # of Rooms Tested: 10

Total # of Rooms Requiring Re-Testing: 0

Total # of Rooms Where Average Results were at or above 4.0 pCi/L: 0

Radon measurement activities were performed at the location above in accordance with United States Environmental Protection Agency protocols and the Connecticut Department of Public Health Radon Program's *School Radon Testing Guidance*.

Ted Tio 6SS0041 2/21/17
Measurement Professional / NRPP/NRSB # Signature Date

School Designee / Title Signature Date



Phone: (860) 509-7299
Telephone Device for the Deaf (860) 509-7191
450 Capitol Avenue - MS # 51RAD
P.O. Box 340308 Hartford, CT 06134
An Equal Opportunity Employer



STATE OF CONNECTICUT

DEPARTMENT OF PUBLIC HEALTH RADON PROGRAM SCHOOL RADON RE-EVALUATION REPORT FORM

May 2016

The following form must be submitted to the Connecticut Department of Public Health Radon Program within ten (10) business days of providing a final written report of radon measurement activities to school personnel. **Do not send test results or other documents.** Submit only one signed form by **mail, fax OR email** to the Radon Program at:

CT Department of Public Health Radon Program
410 Capitol Avenue, MS #51 RAD
Hartford, CT 06134-0308
Fax: 860-509-7295

or

Email: DPH.RadonReports@ct.gov

Name of School: Saxe Middle School

Address: _____
(Street, town, zip code)

Measurement Company: Hygenix, Inc

Please provide the following summary information:

Testing Dates: Feb 7-10, 2017

(deployment/retrieval. Include confirmatory testing dates if necessary)

Total # of Rooms Tested: 10

Total # of Rooms Requiring Re-Testing: 0

Total # of Rooms Where Average Results were at or above 4.0 pCi/L: 0

Radon measurement activities were performed at the location above in accordance with United States Environmental Protection Agency protocols and the Connecticut Department of Public Health Radon Program's *School Radon Testing Guidance*.

Ted Tio 6SS0041 2/21/17
Measurement Professional / NRPP/NRSB # Signature Date

School Designee / Title Signature Date



Phone: (860) 509-7299
Telephone Device for the Deaf (860) 509-7191
450 Capitol Avenue - MS # 51RAD
P.O. Box 340308 Hartford, CT 06134
An Equal Opportunity Employer



STATE OF CONNECTICUT

DEPARTMENT OF PUBLIC HEALTH RADON PROGRAM SCHOOL RADON RE-EVALUATION REPORT FORM

May 2016

The following form must be submitted to the Connecticut Department of Public Health Radon Program within ten (10) business days of providing a final written report of radon measurement activities to school personnel. **Do not send test results or other documents.** Submit only one signed form by **mail, fax OR email** to the Radon Program at:

CT Department of Public Health Radon Program
410 Capitol Avenue, MS #51 RAD
Hartford, CT 06134-0308
Fax: 860-509-7295

or

Email: DPH.RadonReports@ct.gov

Name of School: East Elementary School

Address: _____
(Street, town, zip code)

Measurement Company: Hygenix, Inc

Please provide the following summary information:

Testing Dates: Feb 7-10, 2017

(deployment/retrieval. Include confirmatory testing dates if necessary)

Total # of Rooms Tested: 5

Total # of Rooms Requiring Re-Testing: 0

Total # of Rooms Where Average Results were at or above 4.0 pCi/L: 0

Radon measurement activities were performed at the location above in accordance with United States Environmental Protection Agency protocols and the Connecticut Department of Public Health Radon Program's *School Radon Testing Guidance*.

Ted Tio 6SS0041 2/21/17

Measurement Professional / NRPP/NRSB # _____ Signature _____ Date _____

School Designee / Title _____ Signature _____ Date _____



Phone: (860) 509-7299
Telephone Device for the Deaf (860) 509-7191
450 Capitol Avenue - MS # 51RAD
P.O. Box 340308 Hartford, CT 06134
An Equal Opportunity Employer



STATE OF CONNECTICUT

DEPARTMENT OF PUBLIC HEALTH RADON PROGRAM SCHOOL RADON RE-EVALUATION REPORT FORM

May 2016

The following form must be submitted to the Connecticut Department of Public Health Radon Program within ten (10) business days of providing a final written report of radon measurement activities to school personnel. **Do not send test results or other documents.** Submit only one signed form by **mail, fax OR email** to the Radon Program at:

CT Department of Public Health Radon Program
410 Capitol Avenue, MS #51 RAD
Hartford, CT 06134-0308
Fax: 860-509-7295

or

Email: DPH.RadonReports@ct.gov

Name of School: South Elementary School

Address: _____
(Street, town, zip code)

Measurement Company: Hygenix, Inc

Please provide the following summary information:

Testing Dates: Feb 7-10, 2017

(deployment/retrieval. Include confirmatory testing dates if necessary)

Total # of Rooms Tested: 7

Total # of Rooms Requiring Re-Testing: 0

Total # of Rooms Where Average Results were at or above 4.0 pCi/L: 0

Radon measurement activities were performed at the location above in accordance with United States Environmental Protection Agency protocols and the Connecticut Department of Public Health Radon Program's *School Radon Testing Guidance*.

Ted Tio 6SS0041 2/21/17

Measurement Professional / NRPP/NRSB # _____ Signature _____ Date _____

School Designee / Title _____ Signature _____ Date _____



Phone: (860) 509-7299
Telephone Device for the Deaf (860) 509-7191
450 Capitol Avenue - MS # 51RAD
P.O. Box 340308 Hartford, CT 06134
An Equal Opportunity Employer



STATE OF CONNECTICUT

DEPARTMENT OF PUBLIC HEALTH RADON PROGRAM SCHOOL RADON RE-EVALUATION REPORT FORM

May 2016

The following form must be submitted to the Connecticut Department of Public Health Radon Program within ten (10) business days of providing a final written report of radon measurement activities to school personnel. **Do not send test results or other documents.** Submit only one signed form by **mail, fax OR email** to the Radon Program at:

CT Department of Public Health Radon Program
410 Capitol Avenue, MS #51 RAD
Hartford, CT 06134-0308
Fax: 860-509-7295
or
Email: DPH.RadonReports@ct.gov

Name of School: West Elementary School

Address: _____
(Street, town, zip code) _____

Measurement Company: Hygenix, Inc

Please provide the following summary information:
Testing Dates: Feb 7-10, 2017
(deployment/retrieval. Include confirmatory testing dates if necessary)

Total # of Rooms Tested: 5

Total # of Rooms Requiring Re-Testing: 0

Total # of Rooms Where Average Results were at or above 4.0 pCi/L: 0

Radon measurement activities were performed at the location above in accordance with United States Environmental Protection Agency protocols and the Connecticut Department of Public Health Radon Program's *School Radon Testing Guidance*.

Ted Tio 6SS0041 2/21/17
Measurement Professional / NRPP/NRSB # Signature Date

School Designee / Title Signature Date



Phone: (860) 509-7299
Telephone Device for the Deaf (860) 509-7191
450 Capitol Avenue - MS # 51RAD
P.O. Box 340308 Hartford, CT 06134
An Equal Opportunity Employer

February 17, 2017

**** LABORATORY ANALYSIS REPORT ****

Radon test result report for:
NCHS
MAIN

| Kit # | Room Id | Started | Ended | pCi/L | Analyzed |
|--------------|------------------|-----------------------|-----------------------|--------------|-----------------|
| 7842879 | 110D | 2017-02-07 @ 10:00 am | 2017-02-10 @ 10:00 am | 1.3 ± 0.3 | 2017-02-13 |
| 7842876 | ATHLETIC OFFICE | 2017-02-07 @ 10:00 am | 2017-02-10 @ 10:00 am | 0.8 ± 0.3 | 2017-02-13 |
| 7842875 | COACH OFFICE | 2017-02-07 @ 10:00 am | 2017-02-10 @ 10:00 am | < 0.3 | 2017-02-13 |
| 7842880 | CUSTODIAN | 2017-02-07 @ 10:00 am | 2017-02-10 @ 10:00 am | 0.6 ± 0.3 | 2017-02-13 |
| 7842870 | GUIDANCE | 2017-02-07 @ 10:00 am | 2017-02-10 @ 10:00 am | < 0.3 | 2017-02-13 |
| 7842871 | GUIDANCE | 2017-02-07 @ 10:00 am | 2017-02-10 @ 10:00 am | < 0.3 | 2017-02-13 |
| 7842878 | LIBRARY OFFICE | 2017-02-07 @ 10:00 am | 2017-02-10 @ 10:00 am | 0.7 ± 0.3 | 2017-02-13 |
| 7842877 | LL MALE COACH | 2017-02-07 @ 10:00 am | 2017-02-10 @ 10:00 am | < 0.3 | 2017-02-13 |
| 7842874 | NURSE | 2017-02-07 @ 10:00 am | 2017-02-10 @ 10:00 am | < 0.3 | 2017-02-13 |
| 7842873 | OFFICE E GUDIANC | 2017-02-07 @ 10:00 am | 2017-02-10 @ 10:00 am | < 0.3 | 2017-02-13 |
| 7842872 | OFFICE I SOCIAL | 2017-02-07 @ 10:00 am | 2017-02-10 @ 10:00 am | < 0.3 | 2017-02-13 |

Air Chek, Inc. 1936 Butler Bridge Rd, Mills River, NC 28759-3892 Phone: (828) 684-0893 Fax: (828) 684-8498

February 17, 2017

**** LABORATORY ANALYSIS REPORT ****

Radon test result report for:
SAXE
MAIN

| Kit # | Room Id | Started | Ended | pCi/L | Analyzed |
|--------------|----------------|----------------------|----------------------|--------------|-----------------|
| 7842861 | 147 | 2017-02-07 @ 9:00 am | 2017-02-10 @ 9:00 am | 0.8 ± 0.3 | 2017-02-13 |
| 7842862 | 151 | 2017-02-07 @ 9:00 am | 2017-02-10 @ 9:00 am | 1.1 ± 0.3 | 2017-02-13 |
| 7842863 | 157 | 2017-02-07 @ 9:00 am | 2017-02-10 @ 9:00 am | 1.3 ± 0.3 | 2017-02-13 |
| 7842865 | 19 | 2017-02-07 @ 9:00 am | 2017-02-10 @ 9:00 am | < 0.3 | 2017-02-13 |
| 7842866 | 20 | 2017-02-07 @ 9:00 am | 2017-02-10 @ 9:00 am | 0.5 ± 0.2 | 2017-02-13 |
| 7842867 | 26 | 2017-02-07 @ 9:00 am | 2017-02-10 @ 9:00 am | 0.6 ± 0.3 | 2017-02-13 |
| 7842868 | 34A | 2017-02-07 @ 9:00 am | 2017-02-10 @ 9:00 am | < 0.3 | 2017-02-13 |
| 7842869 | 40 | 2017-02-07 @ 9:00 am | 2017-02-10 @ 9:00 am | < 0.3 | 2017-02-13 |
| 7842864 | LL MAIN OFFICE | 2017-02-07 @ 9:00 am | 2017-02-10 @ 9:00 am | 0.6 ± 0.3 | 2017-02-13 |
| 7842859 | MAIN OFFICE | 2017-02-07 @ 9:00 am | 2017-02-10 @ 9:00 am | 0.9 ± 0.3 | 2017-02-13 |
| 7842860 | MAIN OFFICE | 2017-02-07 @ 9:00 am | 2017-02-10 @ 9:00 am | < 0.3 | 2017-02-13 |

Air Chek, Inc. 1936 Butler Bridge Rd, Mills River, NC 28759-3892 Phone: (828) 684-0893 Fax: (828) 684-8498

February 17, 2017

**** LABORATORY ANALYSIS REPORT ****

Radon test result report for:

**EAST
MAIN**

| Kit # | Room Id | Started | Ended | pCi/L | Analyzed |
|--------------|-----------------|----------------------|----------------------|--------------|-----------------|
| 7842856 | 100 | 2017-02-07 @ 8:00 am | 2017-02-10 @ 8:00 am | < 0.3 | 2017-02-13 |
| 7842857 | 111 | 2017-02-07 @ 8:00 am | 2017-02-10 @ 8:00 am | < 0.3 | 2017-02-13 |
| 7842855 | 125 | 2017-02-07 @ 8:00 am | 2017-02-10 @ 8:00 am | 0.6 ± 0.3 | 2017-02-13 |
| 7842853 | MAIN OFFICE | 2017-02-07 @ 8:00 am | 2017-02-10 @ 8:00 am | < 0.3 | 2017-02-13 |
| 7842854 | MAIN OFFICE | 2017-02-07 @ 8:00 am | 2017-02-10 @ 8:00 am | < 0.3 | 2017-02-13 |
| 7842858 | SPANISH TEACHER | 2017-02-07 @ 8:00 am | 2017-02-10 @ 8:00 am | < 0.3 | 2017-02-13 |

Air Chek, Inc. 1936 Butler Bridge Rd, Mills River, NC 28759-3892 Phone: (828) 684-0893 Fax: (828) 684-8498

February 17, 2017

**** LABORATORY ANALYSIS REPORT ****

Radon test result report for:

**SOUTH
MAIN**

| Kit # | Room Id | Started | Ended | pCi/L | Analyzed |
|--------------|----------------|-----------------------|-----------------------|--------------|-----------------|
| 7842884 | 207 | 2017-02-07 @ 11:00 am | 2017-02-10 @ 11:00 am | 1.2 ± 0.3 | 2017-02-13 |
| 7842883 | 210 | 2017-02-07 @ 11:00 am | 2017-02-10 @ 11:00 am | < 0.3 | 2017-02-13 |
| 7842886 | 410 | 2017-02-07 @ 11:00 am | 2017-02-10 @ 11:00 am | < 0.3 | 2017-02-13 |
| 7842888 | 414 | 2017-02-07 @ 11:00 am | 2017-02-10 @ 11:00 am | < 0.3 | 2017-02-13 |
| 7842881 | MAIN OFFICE | 2017-02-07 @ 11:00 am | 2017-02-10 @ 11:00 am | < 0.3 | 2017-02-13 |
| 7842882 | MAIN OFFICE | 2017-02-07 @ 11:00 am | 2017-02-10 @ 11:00 am | 0.9 ± 0.3 | 2017-02-13 |
| 7842887 | MUSIC 418 | 2017-02-07 @ 11:00 am | 2017-02-10 @ 11:00 am | < 0.3 | 2017-02-13 |
| 7842885 | NURSE | 2017-02-07 @ 11:00 am | 2017-02-10 @ 11:00 am | 0.7 ± 0.3 | 2017-02-13 |

Air Chek, Inc. 1936 Butler Bridge Rd, Mills River, NC 28759-3892 Phone: (828) 684-0893 Fax: (828) 684-8498

February 17, 2017

**** LABORATORY ANALYSIS REPORT ****

Radon test result report for:
WEST
MAIN

| Kit # | Room Id | Started | Ended | pCi/L | Analyzed |
|--------------|----------------|-----------------------|-----------------------|--------------|-----------------|
| 7842892 | 109 | 2017-02-07 @ 11:00 am | 2017-02-10 @ 11:00 am | < 0.3 | 2017-02-13 |
| 7842893 | 114 | 2017-02-07 @ 11:00 am | 2017-02-10 @ 11:00 am | < 0.3 | 2017-02-13 |
| 7842894 | 212 | 2017-02-07 @ 11:00 am | 2017-02-10 @ 11:00 am | < 0.3 | 2017-02-13 |
| 7842895 | 217 | 2017-02-07 @ 11:00 am | 2017-02-10 @ 11:00 am | < 0.3 | 2017-02-13 |
| 7842891 | MAIN OFFICE | 2017-02-07 @ 11:00 am | 2017-02-10 @ 11:00 am | < 0.3 | 2017-02-13 |
| 7842889 | MAIN OFFICE | 2017-02-07 @ 11:00 am | 2017-02-10 @ 11:00 am | < 0.3 | 2017-02-13 |

Air Chek, Inc. 1936 Butler Bridge Rd, Mills River, NC 28759-3892 Phone: (828) 684-0893 Fax: (828) 684-8498